



HPE SN6600B 32GB 48/24 FIBRE CHANNEL SWITCH (Q0U54B)

B-series Switches



WHAT'S NEW

- 32 Gb short-wave QSFP with break-out capability added.
- New 16Gb or 32Gb transceivers bundled with switches.

OVERVIEW

Are you struggling to meet the I/O demands of hyper-scale virtualization, large cloud infrastructures, and growing, flash-based storage environments?

The HPE B-Series SN6600B Fibre Channel Switch is a high-performance, ultra-dense, highly scalable, easy-to-use, and NVMe ready enterprise-class storage networking switch delivering Gen6 Fibre Channel (FC) capabilities. It is designed to support data growth, demanding workloads, and data center consolidation in small- to large-scale enterprise infrastructures. Delivering 32Gb to 128Gb performance, customized high port density, and integrated network sensors, it accelerates data access, adapts to evolving requirements, and drives 24x7 businesses. It can scale from 24 to 64 ports with 48 SFP+ and 4 QSFP+ ports, all in an efficient 1U package. In addition, a simplified deployment process and a point-and-click user interface make the HPE B-series SN6600B Fibre Channel Switch easy to use.

FEATURES

Increase Performance for Application and Solid State Storage Architectures

The HPE B-series SN6600B Fibre Channel Switch delivers increased performance through a combination of improved throughput and low latency across 32Gb and 128Gb links in hyper-scale virtualization, large cloud infrastructures, and growing flash-based storage environments.

The onboard ASIC provides up to 566 million frames switched per second and up to 100 million IOPS to meet the demands of flash-based storage workloads. [1]

Port-to-port latency is reduced to 700 nanoseconds using cut-through switching at 32Gb. [1]

With 48 SFP+ ports and 4 QSFP ports, each providing four 32Gb connections, it can scale up to 64 device ports for an aggregate throughput of 2Tb.

Ultra-dense and Highly Scalable

The HPE B-series SN6600B Fibre Channel Switch scales up to 64 Fibre Channel ports in an efficiently designed 1U form factor, delivering increased port density and space utilization for simplified scalability.

Each of the 48 SFP+ ports supports 4, 8, 10, 16, and 32Gb FC speeds, while each of the 4 QSFP ports is capable of supporting 128Gb.

Provides flexibility to utilize high-speed 32Gb as well as 16Gb optics on demand to meet growing data center needs and provide backward compatibility to older infrastructures.

Simplified Management with Deep Analytical Insights

HPE B-series SN6600B Fibre Channel Switch combines HPE Power Pack+ software that helps simplify monitoring, improve operational stability, and dramatically reduce costs.

Proactively and non-intrusively monitor storage device IO providing deep insight into problems and improved service level agreements (SLA).

Gain comprehensive visibility into the fabric using browser-accessible dashboards with drill-down capabilities.

Building Block for Virtualized, Private Cloud Storage

The HPE B-series SN6600B Fibre Channel Switch supports multitenancy in cloud environments reducing the number of switches required.

Provides efficient link utilization with up to 64Gb of in-flight data compression over inter-switch links (ISLs).

Internal fault-tolerant and enterprise-class reliability, availability, and serviceability (RAS) features help reduce downtime to support mission-critical cloud environments.



Technical specifications**HPE SN6600B 32Gb 48/24 Fibre Channel Switch**

Product Number (SKU)	Q0U54B
Port speed	32 Gbps Fibre Channel
Aggregate switch bandwidth	2 Tbps
Encryption capability	In-flight encryption
Protocol supported	Fibre Channel
Availability features	Hot code load, ports on demand with no downtime
Form factor	1U
Management features	B-series SAN Network Advisor Integration with Storage Essentials
BladeSystem supported	No
Upgradability	Varies by model
Software (optional)	HPE Power Pack+ software, 12-Port Upgrade, Integrated Routing, ISL Trunking, and HPE SAN Network Advisor Professional+ or Enterprise
Product Dimensions (metric)	4.39 x 44 x 35.56 cm
Weight	7.73 kg with two power supply FRUs, without transceivers



Most, if not all IT organizations are on a digital transformation journey — each at a different stage. With over 11,000 IT projects conducted and 1.4 million customer interactions each year, [HPE Pointnext Services](#)' 15,000+ experts and its vast ecosystem of solution partners and channel partners are uniquely able to help you at every stage of your digital transformation. We bring together technology and expertise to help you drive your business forward and prepare for whatever is next.

Advisory and Professional Services help you accelerate your digital transformation. [Operational Services](#) help you remove complexity and respond rapidly to business demands.

Operational Services from HPE Pointnext Services

[HPE Pointnext Tech Care](#) provides fast access to product-specific experts, an AI-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

- **[HPE Datacenter Care](#)** helps modernize and simplify IT operations. Partner with an assigned account team, access technical expertise, an enhanced call experience gives you priority access, choose hardware and software support, implement proactive monitoring to help stay ahead of issues, and access HPE IT best practices and IP.
- **[HPE Proactive Care](#)** offers an enhanced call experience and helps reduce problems with personalized proactive reports and advice. This also includes collaborative software support for Independent Software Vendors (ISVs), (Red Hat, VMWare, Microsoft, etc.). [Read more](#)
- **[HPE Foundation Care](#)** helps when there is a problem and has a choice of response levels. Collaborative software support is included and provides troubleshooting help for ISVs running on your server. [Read more](#).

Other related services

[Defective Media Retention](#) is optional and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

[HPE Service Credits](#) offers a menu of technical services, access additional resources, and specialist skills.

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.



For additional technical information, available models and options, please reference the [QuickSpecs](#)

HPE GREENLAKE

HPE Greenlake is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

[1] source: broadcom.com/products/fibre-channel-networking/switches/g620-switch

**Make the right purchase decision.
Contact our presales specialists.**

[Find a partner](#)



Chat now (sales)



Call now



Buy now



Share now



Get updates

**Hewlett Packard
Enterprise**

© Copyright 2021 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product
[PSN1011003871CZEN](#), July, 2021.