

AF 50

The AF 50 air purifier with laser sensor technology, automatic mode, display, H13 filtration and activated carbon filtration removes pathogens, fine dust, allergens and odours in rooms ranging from 50 m² to 100 m² in size.



Order no.

1.024-822.0

- High air flow rate
- Laser sensor

Technical data

EAN code		4054278899961
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Connected load	W	50
Suitable room size	m²	up to 100
Air throughput	m³/h	max. 520
Filter efficiency according to particle size		0.3 µm >= 99.95 %
Power settings		5
Colour		White
Weight without accessories	kg	9.3
Weight incl. packaging	kg	10.5
Dimensions (L × W × H)	mm	290 × 290 × 580

Equipment

Dual filter system	■
Filter change indicator	■
Air quality display	■
Temperature display	■
Display of relative air humidity	■
Operation of the device with touch function	■
Automatic mode	■
Night mode	■
Locking function	■
Timer program	■


■ Included in the scope of supply.

* Recommended room size based on a ceiling height of 3 m and air exchange three times an hour for operation at the highest performance level.



High Protect 13 Filter

- For bonding odours and chemical vapours.



Dual air inlet system


- Thanks to the air intake on both sides, a high air flow rate is guaranteed.



Colour display

- Displays temperature, air humidity and quality, and filter and device status.

ACCESSORIES FOR AF 50 1.024-822.0



		Order no.	Description	
AIR TREATMENT				
Filter set AF 50	1	2.863-078.0	High air flow rate and efficiency: The replacement filter kit for the AF 50 air purifier comprises H13 filter material and has an antibacterial-coated active carbon element.	■

■ Included in the scope of supply. □ Available accessories. ○ Detergents.